


EUROSTEP
Posadzki i nawierzchnie syntetyczne



EUROSTEP PMMA TFD
For Quick Work



Quick, Quick, Quick

When a factory hall or commercial kitchen floor needs replacement, a new floor must be made quickly. After all, you cannot afford to close your factory or halt your production process for days on end. In this situation, a **EUROSTEP PMMA TFD** floor is the perfect solution.

EUROSTEP PMMA TFD belongs to the category of ODS floor systems. ODS stands for One Day System. Due to the ability to apply multiple layers in a single day, you can have a completely new floor that meets all your requirements in a short time. Moreover, this floor can be applied even at extremely low temperatures.

A **EUROSTEP PMMA TFD** floor is composed of a poly-methyl-methacrylate resin that can be processed with or without a crack-bridging membrane. Despite their short curing time, the products are easy to handle. Additionally, because the floor is sprinkled with colored quartz, it is available in various colors and designs.

POLAND AND THE NETHERLANDS

We produce the **EUROSTEP PMMA TFD** floor partly at Eurostep in Poland and partly in our factory in the Netherlands. In Poland, we manufacture the necessary MMA resins, while in the Netherlands, we color the broadcast quartzes based on aliphatic polyurethane, providing the best protection against UV rays.

RESPONSIBLE INVESTMENT

Opting for a **EUROSTEP PMMA TFD** floor is a responsible investment. Due to its numerous functional properties, the **EUROSTEP PMMA TFD** floor is suitable for many use cases, especially in the food industry. This floor is known as the standard. However, you can also find these floors extensively in factory halls, laboratories, not to mention car washes, technical and storage areas, and commercial kitchens.



BENEFITS

The advantages of a EUROSTEP PMMA TFD floor include:

- ✓ Short curing time
- ✓ Slip-resistant
- ✓ Heavy load-bearing
- ✓ Liquid-tight
- ✓ Seamless
- ✓ Wear-resistant
- ✓ Hygienic
- ✓ Available in various colors
- ✓ Easy to maintain

COLOR OPTIONS

Neutral colors are available in the QMI mixes, which comprise 30 standard colors. If desired, we can create a color entirely according to your preferences. Please refer to the QMI sample book for this.

CLEANING AND MAINTENANCE

The **EUROSTEP PMMA TFD** floor is easy to maintain due to its seamless and pore-free surface. The floor is easy to clean and resistant to chemical contamination, grease, and acid.

A selection of application areas:

Galleries | Commercial kitchens | Production area | Car washes | Agricultural sector

COLOR OPTIONS



EXTRA VENTILATION

- During the application of **EUROSTEP PMMA TFD**, we recommend ensuring additional ventilation in the area. This promotes curing and reduces odor nuisance.



Quartzline

EUROSTEP
Posadzki i nawierzchnie syntetyczne

W.A. Boogaerdstraat 5
3316 BN Dordrecht, NL
T +31 (0)78 65 131 00
E info@quartzline.nl

Tymiankowa 37/39
95-054 Ksawerów, PL
T + 48 609 222 050
E info@eurostep.pl

Quartzline and EUROSTEP develop and produce floor systems for professional floor layers and finishing companies.

Disclaimer

This brochure has been carefully compiled. Nevertheless, color deviations may occur between the photos published in this brochure and the floor applied.